

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03/16/2021
1.1	10/20/2023	660000013531	Date of first issue: 03/16/2021

SECTION 1. IDENTIFICATION

Product name :	:	AJAX CLEANER POWDER-OXYGEN BLEACH POWDER B01810360000
Product code :	:	20000064027
Manufacturer or supplier's de	ta	ils
Company name of supplier :	:	Colgate-Palmolive Co 300 Park Avenue New York, NY 10022
Telephone :	:	US: Consumer Affairs - 1-800-468-6502
Emergency telephone num- : ber		For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.
		Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : powder cleanser

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation

: Category 2A

GHS label elements

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H319 Causes serious eye irritation.
Precautionary statements	:	Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03/16/2021
1.1	10/20/2023	66000013531	Date of first issue: 03/16/2021

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ atten-

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Calcium Carbonate	1317-65-3	>= 90 - <= 100
SODIUM CARBONATE	497-19-8	>= 5 - < 10
SODIUM DODECYL BENZENE SULFONATE	25155-30-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician.
	•	If on skin, rinse well with water.
		If on clothes, remove clothes.
In case of eye contact	:	Immediately flush eye(s) with plenty of water.
		Remove contact lenses.
		Protect unharmed eye.
		Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed		Keep respiratory tract clear.
ii dwaliowed	•	Never give anything by mouth to an unconscious person.
		If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye irritation.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Ver 1.1	sion	Revision Date: 10/20/2023		0S Number: 0000013531	Date of last issue: 03/16/2021 Date of first issue: 03/16/2021
Specific hazards during fire- fighting		:	Do not allow run-off from fire fighting to enter drains or water courses.		
Hazardous combustion prod- ucts		:	No hazardous cor	mbustion products are known	
Further information		:	Collect contaminated fire extinguishing water separately. Th must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.		
	Specia for firef	l protective equipment ighters	:		ed breathing apparatus for firefighting if nec-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Avoid formation of respirable particles. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03/16/2021
1.1	10/20/2023	66000013531	Date of first issue: 03/16/2021

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Calcium Carbonate	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respir- able dust fraction)	5 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection	:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are un- known, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazard- ous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Dust impervious protective suit Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	off-white
Odour	:	No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Vers 1.1	ion	Revision Date: 10/20/2023		S Number: 0000013531	Date of last issue: 03/16/2021 Date of first issue: 03/16/2021
	pН		:	No data available	9
	Melting	point/range	:	No data available	9
	Boiling	point/boiling range	:	No data available	9
	Flash p	point	:	No data available	9
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	2
	Vapour	pressure	:	No data available	9
	Relativ	e vapour density	:	No data available	9
	Density	/	:	No data available	9
	Solubili Solu	ity(ies) ubility in other solvents	:	No data available	9
	Partitio octano	n coefficient: n-	:	No data available	9
		nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	9
	Particle	e size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid Incompatible materials	:	No data available Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

: Acute toxicity estimate: > 5,000 mg/kg



AJAX CLEANER POWDER-OXYGEN BLEACH POWDER

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: 5.7 mg/l Exposure time: 4 h Test atmosphere: dustrimit Method: Calculation method Acute dermal toxicity : Acute toxicity estimate: 2.500 mg/kg Method: Calculation method Somponents: . Calculat toxicity : LD50 (Rat): > 5,000 mg/kg Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LC50: > 5 mg/l Exposure time: 4 h Method: Calculation method Acute oral toxicity : LC50: > 5 mg/l Exposure time: 4 h Method: Calculation method Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg Acute oral toxicity : LD50 (Rat): 2,800 mg/kg Acute oral toxicity : LD50 (Rat): 2,800 mg/kg Acute oral toxicity : LD50 (Rat): 2,800 mg/kg Acute oral toxicity : LD50 (Rat): 2,000 mg/kg Method: No information available. : Method: No information available. Method: No information available. : Method: No information available. Sopul DODECYL BENZENE SULFONATE: Method: OECD Test Guideline 401 Acute oral toxicity : DS0 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 : Method: No information available. Acute oral toxicity : DS0 (Rat): > 2,000 mg/kg<	Version 1.1	Revision Date: 10/20/2023		05 Number: 0000013531	Date of last issue: 03/16/2021 Date of first issue: 03/16/2021
Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation methodAcute dermal toxicity:Acute toxicity estimate: 2,500 mg/kg Method: Calculation method Components: Calculation control::Calcum Carbonate: Acute oral toxicity:LD50 (Rat): > 5,000 mg/kgAcute oral toxicity:LD50 (Rat): > 5,000 mg/kgAcute inhalation toxicity:LC50: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation methodAcute dermal toxicity:LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402SODIUM CARBONATE: Acute oral toxicity:LD50 (Rat): 2,800 mg/kg Method: OECD Test Guideline 402Acute inhalation toxicity:LD50 (Rat): 2,800 mg/kg Method: OECD Test Guideline 402SODIUM CARBONATE: Acute oral toxicity:LD50 (Rat): 2,800 mg/kg Method: OECD Test Guideline 402Acute inhalation toxicity:LD50 (Rat): 2,800 mg/kg Method: No information available.Acute oral toxicity:LD50 (Rat): 2,800 mg/kg Method: No information available.Acute oral toxicity:LD50 (Rat): 1,980 mg/kg Method: No information available.Acute oral toxicity:LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401Acute oral toxicity:Remarks: No data availableAcute oral toxicity:Remarks: No data available.Acute oral toxicity:Remarks: No data availableAcute oral toxicity:Remarks: No data availableAcute oral toxicity:Remarks: No data available </td <td></td> <td></td> <td></td> <td>Method: Calculat</td> <td>ion method</td>				Method: Calculat	ion method
Method: Calculation method Components: Calcium Carbonate: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LC50: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg Acute oral toxicity : LD50 (Rat): 2,800 mg/kg Acute oral toxicity : LD50 (Rat): 2,300 mg/l Exposure time: 2 h . Test atmosphere: No information available. Method: No information available. . Method: No information available. Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Acute inhalation toxicity : LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401 . Acute oral toxicity Acute oral toxicity : LD50 (Rat): 2,000 mg/kg Method: OECD Test Guideline 401 . .	Acut	e inhalation toxicity	:	Exposure time: 4 Test atmosphere	h : dust/mist
Calcium Carbonate: Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LC50: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 SODIUM CARBONATE: . Acute oral toxicity : LD50 (Rat): 2,800 mg/kg Acute inhalation toxicity : LD50 (Rat): 2,800 mg/kg Acute inhalation toxicity : LD50 (Rat): 2,800 mg/kg Acute inhalation toxicity : LD50 (Rat): 2,300 mg/l Exposure time: 2 h Test atmosphere: No information available. Method: No information available. Method: No information available. Acute dermal toxicity : LD50 (Rat): 1,080 mg/kg Method: No information available. Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : LD50 (Rat): 2,000 mg/kg Method: OECD Test Guideline 402 Sopium DODECYL BENZENE SULFONATE: . . Acute oral toxicity : LD50 (Rat): 2,000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : Remarks: No data available Acute inhalation toxicity	Acut	e dermal toxicity	:		
Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LC50: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 SODIUM CARBONATE: Acute oral toxicity : LD50 (Rat): 2,800 mg/kg Acute inhalation toxicity : LD50 (Rat): 2,300 mg/l Exposure time: 2 h Test atmosphere: No information available. Method: No information available. Method: No information available. Acute dermal toxicity : LD50 (Rat): 1,080 mg/kg Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : Remarks: No data available Acute dermal toxicity : Remarks: No data available Acute dermal toxicity : Acute dermal toxicity : Remarks: No data available Acute dermal toxicity : CEO Test Guideline 402	<u>Com</u>	iponents:			
Acute inhalation toxicity :: LC50: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Acute dermal toxicity :: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 SODIUM CARBONATE: . Acute oral toxicity :: LD50 (Rat): 2,800 mg/kg Acute inhalation toxicity : LD50 (Rat): 2,300 mg/l Exposure time: 2 h Test atmosphere: No information available. Method: No information available. Acute dermal toxicity : LD50 (Rat): 2,000 mg/kg Acute dermal toxicity : LD50 (Rat): 2,000 mg/kg Method: No information available. Method: No information available. Acute dermal toxicity : LD50 (Rat): 1,080 mg/kg Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : Remarks: No data available Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : Remarks: No data available Acute dermal toxicity : Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation	Calc	ium Carbonate:			
Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 SODIUM CARBONATE: . Acute oral toxicity : LD50 (Rat): 2,800 mg/kg Acute inhalation toxicity : LC50 (Rat): 2,300 mg/l Exposure time: 2 h . Test atmosphere: No information available. Method: No information available. Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: No information available. Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: No information available. SODIUM DODECYL BENZENE SULFONATE: Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity : Remarks: No data available Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Stin corrosion/irritation Skin corrosion/irritation : : : : Not classified based on available information. : : : Components: : : : : Calcium Carbonate: : :	Acut	e oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg
Method: OECD Test Guideline 402 SODIUM CARBONATE: Acute oral toxicity : LD50 (Rat): 2,800 mg/kg Acute inhalation toxicity : LC50 (Rat): 2,300 mg/l Exposure time: 2 h Test atmosphere: No information available. Method: No information available. Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg Method: No information available. SODIUM DODECYL BENZENE SULFONATE: Method: No information available. Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : Remarks: No data available Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : Remarks: No data available Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation : Not classified based on available information. Components: : Calcium Carbonate:	Acut	e inhalation toxicity	:	Exposure time: 4 Test atmosphere	: dust/mist
Acute oral toxicity : LD50 (Rat): 2,800 mg/kg Acute inhalation toxicity : LC50 (Rat): 2,300 mg/l Exposure time: 2 h Test atmosphere: No information available. Method: No information available. Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg Method: No information available. SODIUM DODECYL BENZENE SULFONATE: . Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : Remarks: No data available Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : Remarks: No data available Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation . Not classified based on available information. Components: . . Calcium Carbonate: .	Acut	e dermal toxicity	:		
Acute inhalation toxicity : LC50 (Rat): 2,300 mg/l Exposure time: 2 h Test atmosphere: No information available. Method: No information available. Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg Method: No information available. SODIUM DODECYL BENZENE SULFONATE: . Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : Remarks: No data available Acute dermal toxicity : Remarks: No data available Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation . Not classified based on available information. Components: . . Calcium Carbonate: .	SOD	IUM CARBONATE:			
Exposure time: 2 h Test atmosphere: No information available. Method: No information available. Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg Method: No information available. SODIUM DODECYL BENZENE SULFONATE: Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : Remarks: No data available Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation Not classified based on available information. Components: Calcium Carbonate:	Acut	e oral toxicity	:	LD50 (Rat): 2,800) mg/kg
Method: No information available. SODIUM DODECYL BENZENE SULFONATE: Acute oral toxicity : LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : Remarks: No data available Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation Not classified based on available information. Components: Calcium Carbonate:	Acut	e inhalation toxicity	:	Exposure time: 2 Test atmosphere	h : No information available.
Acute oral toxicity: LD50 (Rat): 1,080 mg/kg Method: OECD Test Guideline 401Acute inhalation toxicity: Remarks: No data availableAcute dermal toxicity: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402Skin corrosion/irritationNot classified based on available information.Components:Calcium Carbonate:	Acut	e dermal toxicity	:		
Method: OECD Test Guideline 401 Acute inhalation toxicity : Remarks: No data available Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation Not classified based on available information. Components: Calcium Carbonate:	SOD	UN DODECYL BENZ	ENE \$	SULFONATE:	
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Skin corrosion/irritation Not classified based on available information. Components: Calcium Carbonate:				LD50 (Rat): 1,080	
Method: OECD Test Guideline 402 Skin corrosion/irritation Not classified based on available information. <u>Components:</u> Calcium Carbonate:	Acut	e inhalation toxicity	:	Remarks: No dat	a available
Not classified based on available information. <u>Components:</u> Calcium Carbonate:	Acut	e dermal toxicity	:		
Calcium Carbonate:			ilable	information.	
	Com	ponents:			
			:	No skin irritation	



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03/16/2021
1.1	10/20/2023	660000013531	Date of first issue: 03/16/2021

SODIUM CARBONATE:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

SODIUM DODECYL BENZENE SULFONATE:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Calcium Carbonate:

Result	: No eye irritatior	n
--------	---------------------	---

SODIUM CARBONATE:

Result	:	Irritation to eyes, reversing within 21 days
Remarks	:	May cause irreversible eye damage.

SODIUM DODECYL BENZENE SULFONATE:

Species	:	Rabbit
Result	:	Corrosive
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Calcium Carbonate:Exposure routes: InhalationResult: Does not cause respiratory sensitisation.Exposure routes: DermalResult: Does not cause skin sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

UM CARBONATE:			
sure routes	:	Inhalation	
irks	:	No data availat	ble
sure routes	:	Dermal	
sment	:		e skin sensitisation.
t	:	: Not a skin sensitizer.	
UM DODECYL BENZ	ZENES	SULFONATE:	
sure routes	:	Inhalation	
rks	:		ble
sure routes	:	Dermal	
es	:	Guinea pig	
t	:	Does not cause	e skin sensitisation.
cell mutagenicity			
	ailable	information.	
oonents:			
UM CARBONATE:			
toxicity in vitro	:	Test system: S	almonella typhimurium
			ation: Metabolic activation
		Result: negativ	e
toxicity in vivo	:	Exposure time:	96 h
nogenicity			
	ailable	information.	
			this product present at levels greater than
			dentified as probable, possible or confirmed
4			this product present at levels greater than n OSHA's list of regulated carcinogens.
	Ν	lo component of	this product present at levels greater than
	e	qual to 0.1% is id	dentified as a known or anticipated carcinog
	sure routes sement t UM DODECYL BEN sure routes rks sure routes es t cell mutagenicity assified based on av <u>conents:</u> UM CARBONATE: oxicity in vitro	assified based on available concents: UM CARBONATE: coxicity in vivo : coxicity	sure routes : Dermal sment : Does not cause t : Not a skin sens UM DODECYL BENZENE SULFONATE: sure routes : Inhalation rks : No data available sure routes : Dermal es : Guinea pig t : Does not cause cell mutagenicity assified based on available information. Conents: UM CARBONATE: soxicity in vitro : Test system: S Metabolic activ Result: negativ toxicity in vivo : Exposure time: nogenicity assified based on available information. No component of equal to 0.1% is io human carcinoger No component of equal to 0.1% is o No component of

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

VersionRevision Date:1.110/20/2023	SDS Number: 660000013531	Date of last issue: 03/16/2021 Date of first issue: 03/16/2021
------------------------------------	-----------------------------	---

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks

: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

SECTION 12. ECOLOGICAL INFORMATION

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	: The product should not be allowed to enter drains, water courses or the soil.	
	Do not contaminate ponds, waterways or ditches with chemi- cal or used container.	
	Send to a licensed waste management company.	
Contaminated packaging	: Empty remaining contents.	
	Dispose of as unused product.	
	Do not re-use empty containers.	

SECTION 14. TRANSPORT INFORMATION

DOT

Not Regulated

÷



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.1	Revision Date: 10/20/2023	SDS Number: 660000013531	Date of last issue: 03/16/2021 Date of first issue: 03/16/2021		
TDG		:			
ΙΑΤΑ			NVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, chlorocyanuric acid), 9, III.		
		UN 3077 E	UN 3077 Environmentally hazardous substance, solid, n.o.s. (Trichloro cyanuric acid), 9, III.		
IMDG		:			
			NVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, chlorocyanuric acid), 9, III.		
		IMDG Em	S Number :F-A, S-F		
ADR		:			
			NVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, chlorocyanuric acid), 9, III.		

Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations. Product may be shipped as Limited Quantity in retail packaging. The shipper is responsible for identifying any exemptions including Limited Quantity, that may apply based on package size.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03/16/2021
1.1	10/20/2023	660000013531	Date of first issue: 03/16/2021

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

SODIUM DODECYL 25155-30-0 BENZENE SULFONATE

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

SODIUM DODECYL 25155-30-0 BENZENE SULFONATE

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Calcium Carbonate SODIUM CARBONATE SODIUM DODECYL BENZENE SULFONATE SULFUR DIOXIDE	1317-65-3 497-19-8 25155-30-0 7446-09-5
Pennsylvania Right To Know	
Calcium Carbonate SODIUM CARBONATE	1317-65-3 497-19-8
SODIUM DODECYL BENZENE SULFONATE	25155-30-0
SODIUM SULFATE	7757-82-6
SULFUR DIOXIDE	7446-09-5

The components of this product are reported in the following inventories:

TSCA

All ingredients in this product are listed on the TSCA Inventory or are not required to be listed on the TSCA Inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensa-



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

GHS

Version	Revision Date:	SDS Number:	Date of last issue: 03/16/2021
1.1	10/20/2023	660000013531	Date of first issue: 03/16/2021


tion, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration: n.o.s. - Not Otherwise Specified: NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 03/16/2021	
1.1	10/20/2023	66000013531	Date of first issue: 03/16/2021	

Further information



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 10/20/2023 US / EN